

Contents

Publisher's note	xi
Preface	1
Plenary Papers	
Challenges of high Ge content silicon germanium structures E. Kasper and S. Heim	3
The revolution in SiGe: impact on device electronics D.L. Harame, S.J. Koester, G. Freeman, P. Cottrell, K. Rim, G. Dehlinger, D. Ahlgren, J.S. Dunn, D. Greenberg, A. Joseph, F. Anderson, J.-S. Rieh, S.A.S.T. Onge, D. Coolbaugh, V. Ramachandran, J.D. Cressler and S. Subbanna	9
Epitaxy	
Selective epitaxial growth of SiGe:C for high speed HBTs H. Schäfer, J. Böck, R. Stengl, H. Knapp, K. Aufinger, M. Wurzer, S. Boguth, M. Rest, R. Schreiter and T.F. Meister	18
Avoiding loading effects and facet growth. Key parameters for a successful implementation of selective epitaxial SiGe deposition for HBT-BiCMOS and high-mobility hetero-channel pMOS devices R. Loo and M. Caymax	24
N ₂ as carrier gas: an alternative to H ₂ for enhanced epitaxy of Si, SiGe and SiGe:C P. Meunier-Beillard, M. Caymax, K. Van Nieuwenhuysen, G. Doumen, B. Brijs, M. Hopstaken, L. Geenen and W. Vandervorst	31
Production-ready dry cleaning and deposition processes for low-temperature Si and SiGe epitaxy H.M. Buschbeck, A. Erhart, Y. Goeggel, C. Rosenblad, S. Wilsche, J. Ramm, A. Dommann and M. Kummer	36
Low temperature, high growth rate epitaxial silicon and silicon germanium alloy films M.A. Todd and K.D. Weeks	41
Growth of high quality epitaxial Si _{1-x-y} Ge _x C _y layers by using chemical vapor deposition J. Hållstedt, E. Suvar, P.O.Å. Persson, L. Hultman, Y.-B. Wang and H.H. Radamson	46
Characterization of Ge gradients in SiGe HBTs by AES depth profile simulation D. Krüger, A. Penkov, Y. Yamamoto, A. Goryachko and B. Tillack	51
Impurity Control	
High performance SiGe:C HBTs using atomic layer base doping B. Tillack, Y. Yamamoto, D. Knoll, B. Heinemann, P. Schley, B. Senapati and D. Krüger	55
On the mechanism of ion-implanted As diffusion in relaxed SiGe S. Eguchi, J.J. Lee, S.J. Rhee, D.L. Kwong, M.L. Lee, E.A. Fitzgerald, I. Åberg and J.L. Hoyt	59

Contents

Publisher's note	xi
Preface	1
Plenary Papers	
Challenges of high Ge content silicon germanium structures E. Kasper and S. Heim	3
The revolution in SiGe: impact on device electronics D.L. Harame, S.J. Koester, G. Freeman, P. Cottrell, K. Rim, G. Dehlinger, D. Ahlgren, J.S. Dunn, D. Greenberg, A. Joseph, F. Anderson, J.-S. Rieh, S.A.S.T. Onge, D. Coolbaugh, V. Ramachandran, J.D. Cressler and S. Subbanna	9
Epitaxy	
Selective epitaxial growth of SiGe:C for high speed HBTs H. Schäfer, J. Böck, R. Stengl, H. Knapp, K. Aufinger, M. Wurzer, S. Boguth, M. Rest, R. Schreiter and T.F. Meister	18
Avoiding loading effects and facet growth. Key parameters for a successful implementation of selective epitaxial SiGe deposition for HBT-BiCMOS and high-mobility hetero-channel pMOS devices R. Loo and M. Caymax	24
N ₂ as carrier gas: an alternative to H ₂ for enhanced epitaxy of Si, SiGe and SiGe:C P. Meunier-Beillard, M. Caymax, K. Van Nieuwenhuysen, G. Doumen, B. Brijs, M. Hopstaken, L. Geenen and W. Vandervorst	31
Production-ready dry cleaning and deposition processes for low-temperature Si and SiGe epitaxy H.M. Buschbeck, A. Erhart, Y. Goeggel, C. Rosenblad, S. Wilsche, J. Ramm, A. Dommann and M. Kummer	36
Low temperature, high growth rate epitaxial silicon and silicon germanium alloy films M.A. Todd and K.D. Weeks	41
Growth of high quality epitaxial Si _{1-x-y} Ge _x C _y layers by using chemical vapor deposition J. Hållstedt, E. Suvar, P.O.Å. Persson, L. Hultman, Y.-B. Wang and H.H. Radamson	46
Characterization of Ge gradients in SiGe HBTs by AES depth profile simulation D. Krüger, A. Penkov, Y. Yamamoto, A. Goryachko and B. Tillack	51
Impurity Control	
High performance SiGe:C HBTs using atomic layer base doping B. Tillack, Y. Yamamoto, D. Knoll, B. Heinemann, P. Schley, B. Senapati and D. Krüger	55
On the mechanism of ion-implanted As diffusion in relaxed SiGe S. Eguchi, J.J. Lee, S.J. Rhee, D.L. Kwong, M.L. Lee, E.A. Fitzgerald, I. Åberg and J.L. Hoyt	59

A new technique to fabricate ultra-shallow-junctions, combining in situ vapour HCl etching and in situ doped epitaxial SiGe re-growth R. Loo, M. Caymax, P. Meunier-Beillard, I. Peytier, F. Holsteys, S. Kubicek, P. Verheyen, R. Lindsay and O. Richard	63
In situ B doping of SiGe(C) using BCl_3 in ultraclean hot-wall LPCVD Y. Kunii, Y. Inokuchi, A. Moriya, H. Kurokawa and J. Murota	68
Low-temperature dopant activation technology using elevated Ge-S/D structure H. Takeuchi, P. Ranade and T.-J. King	73
Relationship between impurity (B or P) and carrier concentration in SiGe(C) epitaxial film produced by thermal treatment J. Noh, S. Takehiro, M. Sakuraba and J. Murota	77
Characterization of As^+ ion-implanted layers in strained-Si/SiGe/Si hetero-structures T. Ishida, S. Irieda, T. Inada and N. Sugii	82
Segregation of boron to polycrystalline and single-crystal $\text{Si}_{1-x}\text{Ge}_x$ and $\text{Si}_{1-x}\text{C}_x$ layers E.J. Stewart and J.C. Sturm	87
Strain Control	
Development of a new type of SiGe thin strain relaxed buffer based on the incorporation of a carbon-containing layer R. Delhougne, P. Meunier-Beillard, M. Caymax, R. Loo and W. Vandervorst	91
Fabrication of SiGe-on-insulator by rapid thermal annealing of Ge on Si-on-insulator substrate K. Kutsukake, N. Usami, K. Fujiwara, T. Ujihara, G. Sasaki, K. Nakajima, B. Zhang and Y. Segawa	95
Formation of thin SiGe virtual substrates by ion implantation into Si substrates K. Sawano, S. Koh, Y. Hirose, T. Hattori, K. Nakagawa and Y. Shiraki	99
Strain-relaxation mechanisms of SiGe layers formed by two-step growth on Si(0 0 1) substrates T. Egawa, A. Sakai, T. Yamamoto, N. Taoka, O. Nakatsuka, S. Zaima and Y. Yasuda	104
Dislocation structures and strain-relaxation in SiGe buffer layers on Si(0 0 1) substrates with an ultra-thin Ge interlayer T. Yamamoto, A. Sakai, T. Egawa, N. Taoka, O. Nakatsuka, S. Zaima and Y. Yasuda	108
Strain relaxation of strained-Si layers on SiGe-on-insulator (SGOI) structures after mesa isolation K. Usuda, T. Mizuno, T. Tezuka, N. Sugiyama, Y. Moriyama, S. Nakaharai and S.-i. Takagi	113
Influence of $\text{Si}_{1-x}\text{Ge}_x$ interlayer on the initial growth of SiGeC on Si(1 0 0) S. Ariyoshi, S. Takeuchi, O. Nakatsuka, A. Sakai, S. Zaima and Y. Yasuda	117
Roughening mechanisms of tensily strained $\text{Si}_{1-x}\text{Ge}_x$ films grown by UHV-CVD: evidence of a carbon surface diffusion related mechanism C. Calmes, D. Bouchier, C. Clerc and Y. Zheng	122
Quantum Dots	
Intermixing in Ge hut cluster islands U. Denker, H. Sigg and O.G. Schmidt	127
Selective epitaxial growth of Ge quantum dots on patterned $\text{SiO}_2/\text{Si}(0 0 1)$ surfaces L.H. Nguyen, V. LeThanh, D. Débarre, V. Yam, M. Halbwax, M. El Kurdi, D. Bouchier, P. Rosner, M. Becker, M. Benamara and H.P. Strunk	134
Shape and composition change of Ge dots due to Si capping O. Kirfel, E. Müller, D. Grützmacher, K. Kern, A. Hesse, J. Stangl, V. Holý and G. Bauer	139
Kinetics of Si capping process of Ge/Si(0 0 1) quantum dots V. Yam, V. Le Thanh, D. Débarre, Y. Zheng and D. Bouchier	143
Optical properties of stacked Ge/Si quantum dots with different spacer thickness grown by chemical vapor deposition W.-Y. Chen, W.-H. Chang, A.-T. Chou, T.-M. Hsu, P.-S. Chen, Z. Pei and L.-S. Lai	148

Improved growth of Ge quantum dots in Ge/Si stacked layers by pre-intermixing treatments S.W. Lee, L.J. Chen, P.S. Chen, M.-J. Tsai, C.W. Liu, W.Y. Chen and T.M. Hsu	152
Influence of thermal annealing on compositional mixing and crystallinity of highly selective grown Si dots with Ge core Y. Darma, H. Murakami and S. Miyazaki	156
Coupling effect dependent on the thickness of the spacer layer between double layers of quantum dots Y. Rao, Q. Gao, Z. Jiang and F. Lu	160
Room temperature 1.3 and 1.5 μm electroluminescence from Si/Ge quantum dots (QDs)/Si multi-layers Z. Pei, P.S. Chen, S.W. Lee, L.S. Lai, S.C. Lu, M.-J. Tsai, W.H. Chang, W.Y. Chen, A.T. Chou and T.M. Hsu	165
SiGe PIN photodetector for infrared optical fiber links operating at 1.25 Gbit/s M. Jutzi, M. Berroth, G. Wöhl, C. Parry, M. Oehme, M. Bauer, C. Schöllhorn and E. Kasper	170
Fabrication of epitaxial SiGe optical waveguide structures Y. Kim, D. Berlin and A. Samoilov	175
Novel Techniques	
GeH_4 adsorption on Si(0 0 1) at RT: transfer of H atoms to Si sites and atomic exchange between Si and Ge T. Murata and M. Suemitsu	179
Adsorption kinetics of dimethylsilane at Si(0 0 1) K. Senthil, H. Nakazawa and M. Suemitsu	183
Kinetics of epitaxial growth of Si and SiGe films on (1 1 0) Si substrates N. Sugiyama, Y. Moriyama, S. Nakaharai, T. Tezuka, T. Mizuno and S. Takagi	188
Local atomic structure in Czochralski-grown $\text{Ge}_{1-x}\text{Si}_x$ bulk alloys I. Yonenaga, M. Sakurai, M.H.F. Sluiter and Y. Kawazoe	193
Epitaxial growth of N delta doped Si films on Si(1 0 0) by alternately supplied NH_3 and SiH_4 Y. Jeong, M. Sakuraba and J. Murota	197
Formation of heavily P-doped Si epitaxial film on Si(1 0 0) by multiple atomic-layer doping technique Y. Shimamune, M. Sakuraba, J. Murota and B. Tillack	202
Effect of carbon on the thermal stability of a Si atomic layer on Ge(1 0 0) M. Fujiu, K. Takahashi, M. Sakuraba and J. Murota	206
Ar plasma irradiation effects in atomically controlled Si epitaxial growth D. Muto, M. Sakuraba, T. Seino and J. Murota	210
Process Technology	
Interfacial reaction and electrical properties in Ni/Si and Ni/SiGe(C) contacts S. Zaima, O. Nakatsuka, A. Sakai, J. Murota and Y. Yasuda	215
Reactive ion etching of $\text{Si}_{1-x}\text{Ge}_x$ alloy with hydrogen bromide C.S. Wang, D.Y. Shu, W.Y. Hsieh and M.-J. Tsai	222
Ge-dependent morphological change in poly-SiGe formed by Ni-mediated crystallization T. Sadoh, H. Kanno, A. Kenjo and M. Miyao	227
Enhanced crystal nucleation in a-SiGe/SiO ₂ by ion-irradiation assisted annealing I. Tsunoda, A. Kenjo, T. Sadoh and M. Miyao	231
MOS Devices	
Numerical simulation of strained Si/SiGe devices: the hierarchical approach B. Meinerzhagen, C. Jungemann, B. Neinhüs and M. Bartels	235
Fabrication and device characteristics of strained-Si-on-insulator (strained-SOI) CMOS S.-i. Takagi, T. Mizuno, T. Tezuka, N. Sugiyama, T. Numata, K. Usuda, Y. Moriyama, S. Nakaharai, J. Koga, A. Tanabe and T. Maeda	241

Mobility and performance enhancement in compressively strained SiGe channel PMOSFETs Z. Shi, D. Onsongo and S.K. Banerjee	248
Fabrication of 0.12 μm pMOSFETs on high Ge fraction Si/Si _{1-x} Ge _x /Si(1 0 0) heterostructure with ultrashallow source/drain formed using B-doped SiGe CVD D. Lee, S. Takehiro, M. Sakuraba, J. Murota and T. Tsuchiya	254
SiGe elevated source/drain structure and nickel silicide contact layer for sub 0.1 μm MOSFET fabrication J.C. Shim, H. Oh, H. Choi, T. Sakaguchi, H. Kurino and M. Koyanagi	260
Low-frequency noise suppression and dc characteristics enhancement in sub- μm metamorphic p-MOSFETs with strained Si _{0.3} Ge _{0.7} channel grown by MBE M. Myronov, S. Durov, O.A. Mironov, E.H.C. Parker, T.E. Whall, T. Hackbarth, G. Höck, H.-J. Herzog and U. König	265
Proposal of a multi-layer channel MOSFET: the application of selective etching for Si/SiGe stacked layers D. Sasaki, S. Ohmi, M. Sakuraba, J. Murota and T. Sakai	270
Electrical properties of Si _{1-x} C _x /Si/SiO ₂ interface for sub 50 nm strained-channel nMOSFETs F. Ducroquet, T. Ernst, O. Weber, J.-M. Hartmann, V. Loup, P. Besson, L. Brévard, J.L. Di Maria and S. Deleonibus	274
Analysis of carrier generation lifetime in strained-Si/SiGe heterojunction MOSFETs from capacitance transient L.K. Bera, S. Mathew, N. Balasubramanian, G. Braithwaite, M.T. Currie, F. Singaporewala, J. Yap, R. Hammond, A. Lochtelfeld, M.T. Bulsara and E.A. Fitzgerald	278
Minority carrier lifetime and diffusion length in Si _{1-x-y} Ge _x C _y and Si _{1-y} C _y heterolayers S.K. Samanta, G.K. Dalapati, S. Chatterjee and C.K. Maiti	283
Electrical properties of ZrO ₂ films on Si _{1-x-y} Ge _x C _y epitaxial layers S. Chatterjee, G.K. Dalapati, S.K. Samanta and C.K. Maiti	288
Fabrication of 50 nm high performance strained-SiGe pMOSFETs with selective epitaxial growth R. Loo, N. Collaert, P. Verheyen, M. Caymax, R. Delhougne and K.D. Meyer	292
Hetero-Bipolar Devices	
Circuit applications of high-performance SiGe:C HBTs integrated in BiCMOS technology W. Winkler, J. Borngäber, B. Heinemann, H. Rücker, R. Barth, J. Bauer, D. Bolze, J. Drews, K.-E. Ehwald, T. Grabolla, U. Haak, W. Höppler, D. Knoll, D. Krüger, B. Kuck, R. Kurps, M. Marschmeyer, H. Richter, P. Schley, D. Schmidt, R. Scholz, B. Tillack, D. Wolansky, H.-E. Wulf, Y. Yamamoto and P. Zaumseil	297
High-speed SiGe HBTs and their applications K. Washio	306
The state-of-the-art in simulation for optimization of SiGe-HBTs V. Palankovski and S. Selberherr	312
Influence of the extrinsic base on the base current kink in SiGe BJTs A. Sadovnikov, T. Krakowski and M. El-Diwany	320
Design and optimization of a 200 GHz SiGe HBT collector profile by TCAD A.D. Stricker, J.B. Johnson, G. Freeman and J.-S. Rieh	324
The effect of C on emitter-base design for a single-polysilicon SiGe:C HBT with an IDP emitter E. Haralson, E. Suvar, G. Malm, H. Radamson, Y.-B. Wang and M. Östling	330
Characterization of leakage current related to a selectively grown collector in SiGeC heterojunction bipolar transistor structure E. Suvar, E. Haralson, H.H. Radamson, Y.-B. Wang, J.V. Grahn, B.G. Malm and M. Östling	336
Reliability properties of SiGe HBTs A. Rennane, L. Bary, J.L. Roux, J. Kuchenbecker, J. Graffeuil and R. Plana	341
Achieving a SiGe HBT epitaxial emitter with novel low thermal budget technique P. Brabant, J. Wen, J. Italiano, T. Landin, N. Cody and L. Haen	347

Evaluation of compact noise modeling for Si/SiGe HBTs based on hierarchical hydrodynamic noise simulation M. Bartels, B. Neinhüs, C. Jungemann and B. Meinerzhagen	350
Comparison of state-of-the-art bipolar compact models for SiGe-HBTs A. Chakravorty, R. Garg and C.K. Maiti	354
Rigorous modeling approach to numerical simulation of SiGe HBTs V. Palankovski, G. Röhrer, T. Grasser, S. Smirnov, H. Kosina and S. Selberherr	361
Direct extraction feature for scattering parameters of SiGe-HBTs S. Wagner, V. Palankovski, G. Röhrer, T. Grasser and S. Selberherr	365
Other Devices	
Microwave performances of silicon heterostructure-FETs F. Aniel, M. Enciso, S. Richard, L. Giguere, N. Zerounian, P. Crozat, R. Adde, T. Hackbarth, J.-H. Herzog and U. König	370
Resonant tunneling in Si-SiGe superlattices on relaxed buffer substrates S. Tsujino, S. Mentese, L. Diehl, E. Müller, B. Haas, D. Bächle, S. Stutz, D. Grützmacher, Y. Campidelli, O. Kermerrec and D. Bensahel	377
60 nm gate-length Si/SiGe HEMT A. Kasamatsu, K. Kasai, K. Hikosaka, T. Matsui and T. Mimura	382
SiGe virtual substrate H MOS transistor for analogue applications K. Michelakis, S. Despotopoulos, V. Gaspari, A. Vilches, K. Fobelets, C. Papavassiliou, C. Toumazou and J. Zhang	386
Effect of temperature on the transfer characteristic of a 0.5 μm -gate Si/SiGe depletion-mode n-MODFET V. Gaspari, K. Fobelets, J.E. Velazquez-Perez, R. Ferguson, K. Michelakis, S. Despotopoulos and C. Papavassiliou	390
Nonvolatile memory based on Ge/Si hetero-nanocrystals H.G. Yang, Y. Shi, L. Pu, R. Zhang, B. Shen, P. Han, S.L. Gu and Y.D. Zheng	394
Si/SiGe heterojunction collector for low loss operation of Trench IGBT T. Kudoh and T. Asano	399
Circuit Technology	
High performance rf front end circuits using SiGe:C BiCMOS + copper technologies G. Watanabe, J. Ortiz and R. Holbrook	405
Low-cost circuit solutions for micro- and millimeter-wave systems using commercially available SiGe technologies H. Schumacher, P. Abele, E. Sönmez, K.-B. Schad and A. Trasser	410
SiGe based low noise amplifier for WLAN applications J. Sadowy, D. Dubuc, J.P. Busquere, K. Grenier, I. Telliez, J. Graffeuil, E. Tournier and R. Plana	419
The comparison of isolation technologies and device models on SiGe bipolar low noise amplifier W.-C. Hua, T.-Y. Yang and C.W. Liu	425
A 4.4 to 5 GHz SiGe low noise amplifier P. Crippa, S. Orcioni, F. Ricciardi and C. Turchetti	429
A DC-5 GHz NMOSFET SPDT T/R switch in 0.25- μm SiGe BiCMOS technology P. Crippa, S. Orcioni, F. Ricciardi and C. Turchetti	434
Author Index	I
Subject Index	VIII

